















VNITŘNÍ JEDNOTKA			RAS-B10B2KVG-E2	RAS-B13B2KVG-E2	RAS-B16B2KVG-E2	RAS-B18B2KVG-E2	RAS-B24B2KVG-E2
VENKOVNÍ JEDNOTKA			RAS-10B2AVG-E2	RAS-13B2AVG-E2	RAS-16B2AVG-E2	RAS-18B2AVG-E2	RAS-24B2AVG-E2
Chladicí výkon	kW		2,50	3,30	4,20	5,00	6,50
Chladicí výkon (rozsah)	kW		0,80 - 3,00	1,00 - 3,50	1,10 - 4,70	1,10 - 5,35	1,10 - 7,05
Příkon (min./jmen./max.)	kW		0,26/0,75/ 0,95	0,25/1,20/ 1,25	0,28/1,40/ 1,70	0,30/1,78/ 1,90	0,30/2,45/ 2,50
Účinnost EER (jmenovitá)	W/W		3,33	2,75	3,00	2,81	2,65
Účinnost SEER (sezonní)			6,10	6,10	6,10	6,10	6,10
Energetická třída			A++	A++	A++	A++	A++
Provozní rozsah venkovních teplot	°C		-15/+46	-15/+46	-15/+46	-15/+46	-15/+46
Topný výkon	kW		3,20	3,60	5,00	5,40	7,00
Topný výkon (rozsah)	kW		0,76 - 3,90	0,76 - 4,30	0,90 - 6,00	1,10 - 6,00	1,20 - 7,90
Příkon (min./jmen./max.)	kW		0,21/0,84/ 1,11	0,18/1,02/ 1,34	0,22/1,45/ 1,90	0,27/1,67/ 1,88	0,23/2,00/ 2,30
Účinnost COP	W/W		3,81	3,53	3,45	3,23	3,50
Účinnost SCOP (sezonní)			4,00	4,00	4,00	4,00	4,00
Energetická třída			A+	A+	A+	A+	A+
Provozní rozsah venkovních teplot	°C		-15/+24	-15/+24	-15/+24	-15/+24	-15/+24
Napájení	V/F+N/Hz		220-240/1+N/ 50	220-240/1+N/ 50	220-240/1+N/ 50	220-240/1+N/ 50	220-240/1+N/ 50
Doporučené jištění	A		6	6	10	10	10
<b>Cena setu</b>	<b>Kč</b>		<b>24.500,-</b>	<b>26.900,-</b>	<b>36.000,-</b>	<b>42.300,-</b>	<b>50.400,-</b>